



Series 3

VU193LD

19" LCD HD Ready with Integrated DVBT / UV Black Painting



VU193LD

Series **3**

19" LCD HD Ready with Integrated DVBT / UV Black Painting

Features

Widescreen Aspect Ratio

1440 (H) x 900(V) pixel resolution:

High resolution pixel density with built-in image scaler to handle inputs from a variety of digital and analog audio/ video source.

145°(H)/145°(V) Viewing Angle

improves viewing angle, contrast, and brightness to provide an even better picture.

5000:1 < Dynamic Contrast Ratio/ 300Cd/m² Brightness: As two of the most important determining factors in overall Picture quality, contrast and brightness levels achieve new heights in this latest generation LCD panel. Videocon's new LCD TV's give the most stunning realistic picture quality ever from a flat panel set.

Response time: Fast 6ms response time minimizes blurring of moving video.

Auto volume leveller keeps audio volume consistent during channel changing.

Multilingual on-screen displays (17) English, French, German, Spanish, Italian, Portuguese, Turkish, Polish, Croatian, Hungarian, Czech, Rumanian, Bulgarian, Russian, Greek, Serbian, Slovakian.

Connections

A/V inputs: 1

HDMI In: 1

SCART: 1

Component input: 1

PC video input: 1

PC audio input: 1

S-Video input: 1

Headphone out: 1

CI Slot: 1

Warranty

12 Months

Specifications

Panel: Wide (16:9) LCD

TV system: PAL SECAM

DVB Terrestrial TV and Radio reception

Tuner preset channel: 200 in ATV / 999 in DTV pre-selected

Antenna: 75-ohm, IEC-type

Watts per channel: 3W x2

Shipping information (LxWxH)

Dimensions: 560 x 455 x 190 mm

Weight: 6,70 Kg

Order code VU193LD

EAN Code 8033406862806

VIDEOCON 

EAN CODE**8033406862806****PANEL RELATED**

Screen Size	19"
Aspect Ratio	16:9
Resolution	1440 x 900
Display Colors	16,2 Million
Dynamic Contrast Ratio	5000:1
Brightness (cd/m2)	300
Fast Response Time	6ms
Backlight Life (hr)	60.000
Viewing Angle (°)	145 / 145
HD Status	HD Ready
Number of Prog TV : Analog /Digital	200 /999
DVB-T Free on Air	•
Receiving /Color System	PAL /SECAM

PICTURE

Film-Mode Detection	•
DCDI	•
NEVe (Natural Easy View Engine)	•
Sel Pict Modes	Standard /Soft /Personal /Bright
Picture Scale / Zoom	Full Screen /4:3
Color Temperature	Standard /Warm /Cool /Personal
Brightness /Contrast /Color Control	•
Sharpness Control	•
Tint Control (Only NTSC System)	•
Picture Improve	—
Video Noise Reduction (DNR)	•
Black Strach	•

AUDIO

Audio OUT (RMS)	2 x 3W
Sound System	I /BG /DK /L /L'
Sel Sound Modes	Personal /Standard /Music /Hall
Nicam Stereo	•
Equalizer (3/5- Bands)	—
Incredible Stereo	—
Loudness	—
Stereo Playback	•
Auto Volume Leveller (AVL)	•
Bass /Treble /Balance	•
Volume PP ON /OFF	—

CONNECTORS

RF Tuner (75 ohm)	•
Composite (AV) Input	1
Scart	1
Pc Audio Input	1
VGA PC input (D-sub 15pin)	1
S-Video Input	1
Component (Y/Pb /Pr) Input	1
HDMI (1.3) Input	1
CI Slot	•
FastCam (Pay per View Digital Terrestrial)	—
DVD Player Integrated	—
USB 2.0 Input	—
Card Reader (3 in 1 _ SD /MMC /MS)	—
Headphone OUT	1
Scart /AV OUT	•
Monitor OUT	• (through scart)

TIMER FEATURES

Clock	•
Clock Display	•
On /Off Timer	•
Reminder Timer	•
Sleep Timer	•

CHANNEL EDIT FEATURES

Channel Scan	• (only DTV)
Channel Sorting	• (through Move / Swap)
Channel Move	• (only DTV)
Channel Swap	• (only ATV)
Channel Delete	•
Channel Skip	•
Program Naming	•
Program Directory	• (only DTV)
Quick View	•
Favorite Channel Accessing	• (only DTV)

HOTEL / LOCKING MODE

Hotel Mode	•
Password Change	•
Program Lock	•
Child Lock	•
Tuning Lock	•
Volume Lock	• (the setting is in ATV menu)
Volume Limit	•
Front Panel Keys Lock	• (the setting is in ATV menu)
AV Lock	• (the setting is in ATV menu)
Complete Menu Lock	•
Start ON Program Control	•

LANGUAGE FEATURES

OSD Multilanguages (Analog TV)	17 (English, French, German, Italian, Spanish, Russian, Polish, Portuguese, Greek, Hungarian, Slovakian, Serbian, Rumanian, Czech, Croatian, Turkish, Bulgarian)
OSD Multilanguages (Digital TV)	3 (English, Gàidhlig, Cymraeg)
No. of Teletext Page	10
Teletext Languages	4 (West Europe, East Europe, Russian, Arabic)

OTHER FEATURES

Painting	UV Black
Stand Rotation	—
ACI (Automatic Channels Installation)	—
ATS (Automatic Channels Sorting)	• (Programe Naming present)
EPG for DVB-T	•
Picture-in-Picture (PIP)	—

PARAMETRIC INFORMATION

Automatic Voltage Range (AVR)	100 - 240 V~ 50/60 Hz
Power Consumption Maximun	50W
Power Consumption un Standby	<1W
Accessory	Remote handset, User Guide book, Power cord
Wall Mounting Compatibility / Vesa Standards	• (100 x 100mm)

LOGISTIC INFO

Unit dimensions with Stand Base (L/W/H) mm	493 x 170 x 428
Unit dimensions without Stand Base (L/W/H) mm	493 x 79 x 390
Net Weight (Kg)	5,50
Box Weight (Kg)	6,70
Box Dimensions (L/W/H) mm	560 x 455 x 190
Loading qty Pallet	44 pcs
Loading qty Truck	1232 pcs
Loading qty 40 Ft Standard	
Loading qty 40 Ft HQ	

VIDEOCON 

Note: *These specs are subject to change without notice.