



Series **3**

VU263LD

26" LCD HD Ready with Stand Rotation / UV Black Painting



VU263LD

Series **3**

26" LCD HD Ready with Stand Rotation / UV Black Painting

Features

Widescreen Aspect Ratio

1366 (H) x 768(V) pixel resolution:

High resolution pixel density with built-in image scaler to handle inputs from a variety of digital and analog audio/ video source.

160°(H)/150°(V) Viewing Angle

improves viewing angle, contrast, and brightness to provide an even better picture.

7.000:1 < Dynamic Contrast Ratio / 500Cd/m² Brightness: As two of the most important determining factors in overall Picture quality, contrast and brightness levels achieve new heights in this latest generation LCD panel. Videocon's new LCD TV's give the most stunning realistic picture quality ever from a flat panel set.

Response time: Fast 8ms response time minimizes blurring of moving video.

Auto volume leveller keeps audio volume consistent during channel changing.

Multilingual on-screen displays (17) English, French, German, Spanish, Italian, Portuguese, Turkish, Polish, Croatian, Hungarian, Czech, Rumanian, Bulgarian, Russian, Greek, Serbian, Slovakian.

Connections

A/V inputs: 1
HDMI In: 3
SCART: 2
Component input: 1
PC video input: 1
PC audio input: 1
S-Video input: 1
CI Slot: 1

Warranty

12 Months

Specifications

Panel: Wide (16:9) LCD
TV system: PAL, SECAM, NTSC in playback only.
DVB Terrestrial TV and Radio reception
Tuner preset channel: 200 in ATV / 999 in DTV pre-selected
Antenna: 75-ohm, IEC-type
Watts per channel: 10W x2

Shipping information (LxWxH)

Dimensions: 790 x 720 x 210 mm
Weight: 13,5 Kg

Order code VU263LD

EAN Code 8033406862851

VIDEOCON 

EAN CODE**8033406862851****PANEL RELATED**

Screen Size	26"
Aspect Ratio	16:9
Resolution	1366 x 768
Display Colors	16,2 Million
Dynamic Contrast Ratio	7000:1
Brightness (cd/m2)	500
Fast Response Time	8ms
Backlight Life (hr)	60.000
Viewing Angle (°)	160 /150
HD Status	HD Ready
Number of Prog TV : Analog /Digital	200 /999
DVB-T Free on Air	•
Receiving /Color System	PAL /SECAM /NTSC in AV playback

PICTURE

Film-Mode Detection	•
DCDI	•
NEVe (Natural Easy View Engine)	•
Sel Pict Modes	Standard /Mild /Game /User /Dynamic
Picture Scale / Zoom	Original /4:3 /Zoom only ATV/16:9
Color Temperature	Normal /Warm /Cool
Brightness /Contrast /Color Control	•
Sharpness Control	•
Tint Control (Only NTSC System)	•
Picture Improve	•
Video Noise Reduction (DNR)	•
Black Strach	•

AUDIO

Audio OUT (RMS)	2 x 10W
Sound System	I /BG /DK /L /L'
Sel Sound Modes	User /Surround /Flat /Music /Movie /Sports
Nicam Stereo	•
Equalizer (3/5- Bands)	—
Incredible Stereo	—
Loudness	—
Stereo Playback	•
Auto Volume Leveller (AVL)	•
Bass /Treble /Balance	•
Volume PP ON /OFF	—

CONNECTORS

RF Tuner (75 ohm)	•
Composite (AV) Input	1
Scart	2
Pc Audio Input	1
VGA PC input (D-sub 15pin)	1
S-Video Input	1
Component (Y/Pb /Pr) Input	1
HDMI (1.3) Input	3
CI Slot	1
FastCam (Pay per View Digital Terrestrial)	—
DVD Player Integrated	—
USB 2.0 Input	—
Card Reader (3 in 1 _ SD /MMC /MS)	—
Headphone OUT	—
Scart /AV OUT	•
Monitor OUT	• (through scart)

TIMER FEATURES


Clock	•
Clock Display	•
On /Off Timer	•
Reminder Timer	•
Sleep Timer	•

CHANNEL EDIT FEATURES

Channel Scan	—
Channel Sorting	• (through Move function)
Channel Move	• (DTV in Favorite list)
Channel Swap	• (only ATV)
Channel Delete	• (DTV in Favorite list)
Channel Skip	• (DTV in Favorite list)
Program Naming	• (DTV in Favorite list)
Program Directory	•
Quick View	•
Favorite Channel Accessing	•

HOTEL / LOCKING MODE

Hotel Mode	•
Password Change	•
Program Lock	•
Child Lock	• (in DTV: Parental menu)
Tuning Lock	•
Volume Lock	• (the setting is in ATV menu)
Volume Limit	•
Front Panel Keys Lock	• (the setting is in ATV menu)
AV Lock	• (the setting is in ATV menu)
Complete Menu Lock	•
Start ON Program Control	•

LANGUAGE FEATURES	
OSD Multilanguages (Analog TV)	17 (English, French, German, Spanish, Italian, Portuguese, Turkish, Polish, Croatian, Hungarian, Czech, Rumanian, Bulgarian, Russian, Greek, Serbian, Slovakian.)
OSD Multilanguages (Digital TV)	3 (English, Gàidhlig, Cymraeg)
No. of Teletext Page	1000
Teletext Languages	6 (West Europe, East Europe, Russian, Farsi, Arabic, Greek)
OTHER FEATURES	
Painting	UV Black
Stand Rotation	•
ACI (Automatic Channels Installation)	•
ATS (Automatic Channels Sorting)	• (Programe Naming present)
EPG for DVB-T	• (only DTV)
Picture-in-Picture (PIP)	• (available in VGA only)
PARAMETRIC INFORMATION	
Automatic Voltage Range (AVR)	100 - 240 V~ 50/60 Hz
Power Consumption Maximun	135W
Power Consumption un Standby	< 1W
Accessory	Remote Handset, User's Guide Book, Power Cord.
Wall Mounting Compatibility / Vesa Standards	• (200 x 100mm)
LOGISTIC INFO	
Unit dimensions with Stand Base (L/W/H) mm	672 x 285 x 545
Unit dimensions without Stand Base (L/W/H) mm	672 x 115 x 495
Net Weight (Kg)	10,25
Box Weight (Kg)	13,5
Box Dimensions (L/W/H) mm	790 x 720 x 210
Loading qty Pallet	10 pcs
Loading qty Truck	540 pcs
Loading qty 40 Ft Standard	
Loading qty 40 Ft HQ	
VIDEOCON 	

Note: *These specs are subject to change without notice.